


Πίνακας Αποδόσεων / Performance table




Αντλία Pump	Κινητήρας Motor	Παροχή Capacity	m ³ /h	0	1,5	1,8	2,4	2,7	3	3,6	4,2
			l/min	0	25	30	40	45	50	60	70
			l/sec	0	0,42	0,50	0,67	0,75	0,83	1,00	1,17
4S 03/04	4'' - 0,5	Ολικό Μανομετρικό σε μέτρα H=m Total Manometric Head in metres	28	25	24	22	20	19	15	10	
4S 03/07	4'' - 0,75		48	42	40	36	33	30	24	16	
4S 03/10	4'' - 1		70	62	59	52	48	44	34	23	
4S 03/15	4'' - 1,5		104	92	88	78	72	65	51	34	
4S 03/20	4'' - 2		140	124	119	105	97	87	66	43	
4S 03/30	4'' - 3		205	183	175	154	142	128	98	65	
4S 03/37	4'' - 4		257	232	222	194	179	161	123	82	




Τύπος Αντλίας Pump Type	Ισχύς Κινητήρα Motor Power			Διαστάσεις Dimensions						Βάρος σε kg Weight in kg		
	in	kW	HP	L	A	B	Φmax		Rp	Αντλία Pump	Κινητήρα Motor	Ολικό Total
							Pump	Motor				
4S 03/04	4''	0,37	0,5	526	275	251	96	95	1''1/4	2,6	7,2	9,8
4S 03/07		0,55	0,75	621	345	276	96	95	1''1/4	3,2	8,4	11,6
4S 03/10		0,75	1	707	410	297	96	95	1''1/4	3,8	9,3	13,1
4S 03/15		1,1	1,5	846	525	321	96	95	1''1/4	4,5	10,5	15,0
4S 03/20		1,5	2	983	630	353	96	95	1''1/4	5,5	12	17,5
4S 03/30		2,2	3	1228	875	353	96	95	1''1/4	7,8	11	18,8
4S 03/37		3,0	4	1473	1065	408	96	95	1''1/4	9,3	13,6	22,9

Αποδόσεις σε / Performance at 2900 r.p.m. 50 Hz

Imp.g.p.m
US.g.p.m




Q=l/min
Q=l/s



Πίνακας Αποδόσεων / Performance table



Αντλία Pump	Κινητήρας Motor	Παροχή Capacity	m ³ /h	0	2,4	3,0	3,6	4,2	4,8	5,4	6,0
			l/min	0	40	50	60	70	80	90	100
			l/sec	0	0,67	0,83	1,00	1,17	1,33	1,50	1,67
4S 04/04	4'' - 0,5	Ολικό Μανομετρικό σε μέτρα H=m Total Manometric Head in metres	26	22	21	19	18	15	12	8	
4S 04/07	4'' - 0,75		44	38	35	32	28	23	17	11	
4S 04/10	4'' - 1		65	56	52	47	42	35	27	18	
4S 04/14	4'' - 1,5		92	80	75	69	61	51	39	25	
4S 04/18	4'' - 2		119	104	97	90	79	66	51	33	
4S 04/27	4'' - 3		179	154	145	133	115	99	78	54	
4S 04/32	4'' - 4		211	186	173	159	141	118	93	66	
4S 04/40	4'' - 5,5		268	232	215	195	168	138	103	71	
4S 04/44	4'' - 5,5		292	256	238	214	184	150	120	85	



Τύπος Αντλίας Pump Type	Ισχύς Κινητήρα Motor Power			Διαστάσεις Dimensions						Βάρος σε kg Weight in kg		
	in	kW	HP	L	A	B	Φmax		Rp	Αντλία Pump	Κινητήρα Motor	Ολικό Total
							Pump	Motor				
4S 04/04	4''	0,37	0,50	526	275	251	96	95	1''1/4	2,6	7,2	9,8
4S 04/07		0,55	0,75	621	345	276	96	95	1''1/4	3,2	8,4	11,6
4S 04/10		0,75	1	707	410	297	96	95	1''1/4	3,8	9,3	13,1
4S 04/14		1,1	1,5	816	495	321	96	95	1''1/4	4,6	10,5	15,1
4S 04/18		1,5	2	938	585	353	96	95	1''1/4	5,4	12	17,4
4S 04/27		2,2	3	1133	780	353	96	95	1''1/4	6,5	11	17,5
4S 04/32		3	4	1358	950	408	96	95	1''1/4	8,4	13,6	22
4S 04/40		4	5,5	1668	1125	543	96	95	1''1/4	9,5	20	29,5
4S 04/44		4	5,5	1758	1215	543	96	95	1''1/4	10,7	20	30,7

Αποδόσεις σε / Performance at 2900 r.p.m. 50 Hz


Imp.g.p.m 5 10 15 20 25
 US.g.p.m 5 10 15 20 25 30



Q=l/min 20 40 60 80 100
 Q=l/s 0,5 1 1,5



Πίνακας Αποδόσεων / Performance table

Αντλία Pump	Κινητήρας Motor	Παροχή Capacity	m ³ /h	0	3,3	3,6	4,8	6,0	7,2	8,4	9,0
			l/min	0	55	60	80	100	120	140	150
			l/sec	0	0,92	1,00	1,33	1,67	2,00	2,33	2,50
4S 06/06	4'' - 1	Ολικό Μανομετρικό σε μέτρα H=m Total Manometric Head in metres	35	32	32	30	27	23	16	13	
4S 06/09	4'' - 1,5		52	47	47	43	38	32	21	18	
4S 06/13	4'' - 2		78	73	72	68	62	53	37	31	
4S 06/19	4'' - 3		109	102	100	94	83	70	51	41	
4S 06/26	4'' - 4		151	139	138	125	108	89	64	48	
4S 06/31	4'' - 5,5		185	170	167	152	130	109	78	56	
4S 06/34	4'' - 5,5		201	185	183	165	139	116	84	64	
4S 06/45	4'' - 7,5		268	249	247	225	192	154	117	99	




Τύπος Αντλίας Pump Type	Ισχύς Κινητήρα Motor Power			Διαστάσεις Dimensions						Βάρος σε kg Weight in kg		
	in	kW	HP	L	A	B	Φmax		Rp	Αντλία Pump	Κινητήρα Motor	Ολικό Total
							Pump	Motor				
4S 06/06	4''	0,75	1	667	370	297	96	95	2''	2,9	9,3	12,2
4S 06/09		1,1	1,5	781	460	321	96	95	2''	3,6	10,5	14,1
4S 06/13		1,5	2	963	610	353	96	95	2''	4,8	12	16,8
4S 06/19		2,2	3	1173	820	353	96	95	2''	6,6	11	17,6
4S 06/26		3	4	1438	1030	408	96	95	2''	7,9	13,6	21,5
4S 06/31		4	5,5	1763	1220	543	96	95	2''	9,3	20	29,3
4S 06/34		4	5,5	1848	1305	543	96	95	2''	9,9	20	29,9
4S 06/45		5,5	7,5	2288	1635	653	96	95	2''	12,8	26,6	39,4

Αποδόσεις σε / Performance at 2900 r.p.m. 50 Hz



Πίνακας Αποδόσεων / Performance table



Αντλία Pump	Κινητήρας Motor	Παροχή Capacity	m ³ /h	0	3,6	4,2	6,0	7,2	8,4	10,8	12
			l/min	0	60	70	100	120	140	180	200
			l/sec	0	1,00	1,17	1,67	2,00	2,33	3,00	3,33
4S 08/04	4'' - 1	Ολικό Μανομετρικό σε μέτρα H=m Total Manometric Head in metres	25	24	24	22	20	17	10	8	
4S 08/06	4'' - 1,5		38	36	36	33	30	26	15	10	
4S 08/09	4'' - 2		57	54	53	49	44	39	24	15	
4S 08/14	4'' - 3		88	84	83	75	68	59	36	22	
4S 08/18	4'' - 4		113	108	106	98	88	77	47	32	
4S 08/21	4'' - 5,5		134	130	128	117	106	95	60	39	
4S 08/23	4'' - 5,5		146	142	139	125	114	100	63	41	
4S 08/32	4'' - 7,5		201	197	194	173	156	142	91	59	
4S 08/42	4'' - 10		266	259	254	229	206	185	119	82	



Τύπος Αντλίας Pump Type	Ισχύς Κινητήρα Motor Power			Διαστάσεις Dimensions						Βάρος σε kg Weight in kg		
	in	kW	HP	L	A	B	Φmax		Rp	Αντλία Pump	Κινητήρα Motor	Ολικό Total
							Pump	Motor				
4S 08/04	4''	0,75	1	607	310	297	96	95	2''	2,6	9,3	11,9
4S 08/06		1,1	1,5	691	370	321	96	95	2''	2,9	10,5	13,4
4S 08/09		1,5	2	813	460	353	96	95	2''	3,6	12,0	15,6
4S 08/14		2,2	3	993	640	353	96	95	2''	4,9	11,0	15,9
4S 08/18		3	4	1173	765	408	96	95	2''	6,0	13,6	19,6
4S 08/21		4	5,5	1428	885	543	96	95	2''	6,9	20,0	26,9
4S 08/23		4	5,5	1488	945	543	96	95	2''	7,0	20,0	27,0
4S 08/32		5,5	7,5	1898	1245	653	96	95	2''	9,2	26,6	35,8
4S 08/42		7,5	10	2303	1572	731	96	95	2''	11,6	30,6	42,2

Αποδόσεις σε / Performance at 2900 r.p.m. 50 Hz


Imp.g.p.m 5 10 15 20 25 30 35 40 45
 US.g.p.m 5 10 15 20 25 30 35 40 45 50 55



Q=l/min 20 40 60 80 100 120 140 160 180 200
 Q=l/s 0,5 1 1,5 2 2,5 3 3,5


Πίνακας Αποδόσεων / Performance table

Αντλία Pump	Κινητήρας Motor	Παροχή Capacity	m ³ /h	0	6,0	7,2	9,6	10,8	12,0	14,4	17,0
			l/min	0	100	120	160	180	200	240	283,3
			l/sec	0	1,67	2,00	2,67	3,00	3,33	4,00	4,72
4S 12/05	4'' - 1,5	Ολικό Μανομετρικό σε μέτρα H=m Total Manometric Head in metres	30	26	25	21	18	16	11	5	
4S 12/07	4'' - 2		42	37	35	30	27	23	16	7	
4S 12/11	4'' - 3		64	57	53	45	40	34	23	11	
4S 12/14	4'' - 4		82	73	69	59	53	46	31	15	
4S 12/18	4'' - 5,5		107	97	93	80	72	63	45	26	
4S 12/25	4'' - 7,5		150	134	128	113	103	89	67	38	
4S 12/32	4'' - 10		194	175	167	148	133	118	90	53	




Τύπος Αντλίας Pump Type	Ισχύς Κινητήρα Motor Power			Διαστάσεις Dimensions						Βάρος σε kg Weight in kg		
	in	kW	HP	L	A	B	Φmax		Rp	Αντλία Pump	Κινητήρα Motor	Ολικό Total
							Pump	Motor				
4S 12/05	4''	1,1	1,5	761	440	321	96	95	2''	3,4	10,5	13,9
4S 12/07		1,5	2	893	540	353	96	95	2''	4,0	12,0	16,0
4S 12/11		2,2	3	1123	770	353	96	95	2''	5,8	11,0	16,8
4S 12/14		3	4	1328	920	408	96	95	2''	6,9	13,6	20,5
4S 12/18		4	5,5	1693	1150	543	96	95	2''	8,5	20,0	28,5
4S 12/25		5,5	7,5	2188	1535	653	96	95	2''	11,3	26,6	37,9
4S 12/32		7,5	10	2646	1915	731	96	95	2''	14,4	30,6	45,0

Αποδόσεις σε / Performance at 2900 r.p.m. 50 Hz



Πίνακας Αποδόσεων / Performance table

Αντλία Pump	Κινητήρας Motor	Παροχή Capacity	m ³ /h	0	9	10	14	16	18	22	24
			l/min	0	150	166,7	233,3	266,7	300	366,7	400
			l/sec	0	2,5	2,78	3,89	4,44	5	6,11	6,67
4S 18/08	4'' - 3	Ολικό Μανομετρικό σε μέτρα. H=m Total Manometric Head in metres	46	34	33	26	23	20	12	7	
4S 18/11	4'' - 4		63	47	45	37	33	28	18	11	
4S 18/15	4'' - 5,5		87	69	66	52	47	42	26	15	
4S 18/20	4'' - 7,5		121	96	92	71	62	54	34	18	
4S 18/28	4'' - 10		165	123	118	92	80	68	42	25	



Τύπος Αντλίας Pump Type	Ισχύς Κινητήρα Motor Power			Διαστάσεις Dimensions						Βάρος σε kg Weight in kg		
	in	kW	HP	L	A	B	Φmax		Rp	Αντλία Pump	Κινητήρα Motor	Ολικό Total
							Pump	Motor				
4S 18/08	4''	2,2	3	1039	686	353	96	95	2''	5,4	11,0	16,4
4S 18/11		3	4	1315	907	408	96	95	2''	6,9	13,6	20,5
4S 18/15		4	5,5	1745	1202	543	96	95	2''	9,0	20,0	29,0
4S 18/20		5,5	7,5	2223	1570	653	96	95	2''	11,6	26,6	38,2
4S 18/28		7,5	10	2890	2159	731	96	95	2''	15,8	30,6	46,4

Αποδόσεις σε / Performance at 2900 r.p.m. 50 Hz

